

Nova 10x Taq Buffer
10X concentrated
Reference: AB15007



1 of 1

INTENDED USE AND PRESENTATION:

Nova 10X Taq Buffer is a premix widely used in molecular biology research.

AB15007, 1,8 mL.

For research use only.

SUMMARY, EXPLANATION AND LIMITATIONS:

Nova 10X Taq Buffer is a ready-to-use buffer to be used for Nova Taq, Nova HotTaq, Nova RedTaq and Nova LongTaq enzymes in PCR reactions. It does not contain MgCl₂.

Quality control: Amplification of a single-copy gene from human genomic DNA.

APPLICATIONS:

For all your everyday PCR reactions, gene expression profiling, Microbial & Viral pathogen detection.

PRODUCT COMPOSITION:

This product is supplied with 100 mM Tris-HCl (pH 8,0 at 25°C), 1 mM DTT, 0,1 mM EDTA, 100 mM KCl, 0,5% Nonidet P40, 0,5% Tween 20 and 50% glycerol.

REQUIRED MATERIALS BUT NOT SUPPLIED:

All reagents, materials, and laboratory equipment for PCR and determination procedures are not provided with this reagent. This includes sterile reaction tubes, micropipettes and tips, template DNA, gen-specific PCR primer pair, dNTPs mixture, PCR grade H₂O, heat pretreatment equipment (thermoblock, microwave), centrifuge, cold store and thermal block cyler.

Buffered solutions for DNA extraction or purification, enzyme treatments, highly sensitive detection systems, and other auxiliary reagents are available from Genova Scientific.

STORAGE AND STABILITY:

Store at -20°C until the expiration date printed on product label. Avoid prolonged exposure to light. Avoid multiple freeze-thaw cycles and exposure to frequent temperature changes. Do not use after the expiration date. If the product is stored under different conditions from those stipulated in these technical indications, the new conditions must be verified by the user. The validity period of the ready to use products when opened, is the same as the expiration date indicated on the label of intact product.

Genova Scientific guarantees that the product will maintain all of the described characteristics from the production date until the expiration date, as long as the product is stored and used as recommended. No other guarantees are provided. Under no circumstances Genova Scientific is obliged to cover damages caused by use of this reagent.

TROUBLESHOOTING:

If unusual banding is observed or any other deviations from the expected results, please read these instructions carefully, along with the instructions from the PCR and determination systems. If this does not solve the problem, please contact Genova Scientific's technical support department (techsupport@genovalab.com) or your local distributor.

PRECAUTIONS:

Use only by qualified personnel.

Use proper protective equipment in order to avoid contact with reagents and samples in the eyes, skin, and mucosal tissues. In case of contact with sensitive areas, immediately flush the affected area with water. Avoid microbial contamination of the reagent, as this may produce nonspecific amplification results.

Material safety data sheet (MSDS) is available upon request.

PERFORMANCE CHARACTERISTICS:

Genova Scientific has performed studies to evaluate the functioning of this ladder for use with standard visualization and determination systems, concluding that the product is both specific and sensitive for determination performance.

BIBLIOGRAPHY:

Chien A., Edgar D.B., Trela J.M., "Deoxyribonucleic acid polymerase from the extreme thermophile *Thermus aquaticus*", Journal of Bacteriology, 127(3), 1550-57, 1976.
Lawyer F.C., Stoffel S., Saiki R.K., Myambo K., Drummond R., et al., "Isolation, characterization, and expression in *Escherichia coli* of the DNA polymerase gene from *Thermus aquaticus*", The Journal of Biological Chemistry, 264(11), 6427-37, 1989.
Tindall K.R., Kunkel T.A., "Fidelity of DNA synthesis by the *Thermus aquaticus* DNA polymerase", Biochemistry, 27(16), 6008-13, 1988.
Innis M.A., Myambo K.B., Gelfand D.H., Brow M.A., "DNA sequencing with *Thermus aquaticus* DNA polymerase and direct sequencing of polymerase chain reaction-amplified DNA", Proceedings of the National Academy of Sciences of the United States of America, 85(24), 9436-40, 1988.
Lo Y.M., Mehal W.Z., Fleming K.A., "Rapid production of vector-free biotinylated probes using the polymerase chain reaction", Nucleic Acids Research, 16(17), 8719, 1988.
Erich H.A., (ed.) 1988, "PCR technology: principles and applications for DNA amplification", Stockton Press, New York.

F01IT04_AB15007_V1R1012_EN_Nova_10X_Taq_Buffer



Catalog number



Batch code



Research use only



Temperature limitation



Expiration date



Manufacturer



See instruction for use



Genova Scientific, S.L.
C/ Johann Gutenberg, 4F. Pol. Ind.
El Cafamo I • 41300 San Jose
de La Rinconada • Sevilla, SPAIN
Telefono: +34 954 150767
Fax: +34 955 266494

info@genovalab.com
www.genova-europe.com